WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Friday, October 27, 2006

Hide?	Set Name	Query	Hit Count
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
☐	L31	(L28 or l27 or l10 or l4 or l5) and (remov$ or decontaminat$ or clean$)	8
☐	L30	(L28 or l27 or l10 or l4 or l5) and cleaning	0
☐	L29	(L28 or l27 or l10 or l4 or l5) and cleaning and (optical surface)	0
☐	L28	(20020014598 or 20020014599 or 20040108473 or 20040160155).pn.	4
	DB=PGPB; PLUR=YES; OP=ADJ		
☐	L27	20030006383.pn.	1
☐	L26	2003006383.pn.	0
	DB=USPT; PLUR=YES; OP=ADJ		
☐	L25	2003006383.pn.	0
	DB=EPAB; PLUR=YES; OP=ADJ		
☐	L24	CN-1204292-C.did.	0
	DB=JPAB; PLUR=YES; OP=ADJ		
☐	L23	JP-2004342826-A.did.	1
	DB=EPAB; PLUR=YES; OP=ADJ		
☐	L22	0137309	0
☐	L21	L20	0
	DB=DWPI; PLUR=YES; OP=ADJ		
☐	L20	0137309	33
☐	L19	00137309	0
	DB=EPAB; PLUR=YES; OP=ADJ		
☐	L18	00137309	0
☐	L17	00137309	0
☐	L16	00137309.pn.	0
	DB=DWPI; PLUR=YES; OP=ADJ		
☐	L15	00137309.did.	0
☐	L14	wo0137309.pn.	0
☐	L13	wo00137309.did.	0
☐	L12	wo00137309.pn.	0
	DB=EPAB; PLUR=YES; OP=ADJ		
☐	L11	wo00137309.pn.	0
	DB=PGPB; PLUR=YES; OP=ADJ		
	L10	20020163313.pn.	1

☐			
☐	L9	2002163313.pn.	0
	DB=PGPB,DWPI; PLUR=YES; OP=ADJ		
☐	L8	wo-0137309-$.did.	0
☐	L7	wo01/37309-$.did.	0
☐	L6	0137309.pa.	0
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
☐	L5	6566667.pn.	1
	DB=PGPB; PLUR=YES; OP=ADJ		
☐	L4	20020100882.pn.	1
☐	L3	2002100882.pn.	0
	DB=DWPI; PLUR=YES; OP=ADJ		
☐	L2	WO 0137309	0
☐	L1	0137309	33

END OF SEARCH HISTORY

WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Friday, October 27, 2006

Hide?	Set Name	Query	Hit Count
	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
☐	L14	200137309.pn.	2
☐	L13	0137309.pn.	0
☐	L12	l8 and pressure	23
☐	L11	l8 and contaminat$ and ion	3
☐	L10	L8 and hitting	2
☐	L9	L8 and temperature and adjust$	4
☐	L8	(optical device) and cleaning	244
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
☐	L7	L6 with adjust$	1
☐	L6	L5 with temperature	4
☐	L5	L1 with cleaning	166
☐	L4	L3 with (clean$ or decontaminat$ or remov$)	3
☐	L3	L2 with vacuum	43
☐	L2	L1 with chamber	371
☐	L1	optical device	51270

END OF SEARCH HISTORY

Hit List

First Hit | Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 4 of 4 returned.

☐ 1. Document ID: WO 2005010617 A2

L9: Entry 1 of 4 File: EPAB Feb 3, 2005

PUB-NO: WO2005010617A2
DOCUMENT-IDENTIFIER: WO 2005010617 A2
TITLE: METHOD OF CLEANING AT LEAST ONE SURFACE OF AN OPTICAL DEVICE DISPOSED IN A VACUUM CHAMBER

PUBN-DATE: February 3, 2005

INVENTOR-INFORMATION:

NAME	COUNTRY
APETZ, ROLF THEO ANTON	DE

INT-CL (IPC): G03F 7/20; G02B 27/00
EUR-CL (EPC): G02B027/00; G03F007/20

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw De

☐ 2. Document ID: WO 2005010617 A2

L9: Entry 2 of 4 File: DWPI Feb 3, 2005

DERWENT-ACC-NO: 2005-142676
DERWENT-WEEK: 200515
COPYRIGHT 2006 DERWENT INFORMATION LTD
TITLE: Optical device cleaning method e.g. for monochromator used in lithography process, involves adjusting temperature prevailing on surface of optical device and pressure in vacuum chamber, such that ions hitting surface move on surface

INVENTOR: APETZ, R T A

PRIORITY-DATA: 2003EP-0102333 (July 29, 2003)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
WO 2005010617 A2	February 3, 2005	E	016	G03F007/20

INT-CL (IPC): G02B 27/00; G03F 7/20

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw De

☐ 3. Document ID: TW 200401749 A, US 20030190132 A1, WO 2003087442 A1, AU 2003225905 A1, US 6803028 B2

L9: Entry 3 of 4 File: DWPI Feb 1, 2004

DERWENT-ACC-NO: 2004-020971
DERWENT-WEEK: 200568
COPYRIGHT 2006 DERWENT INFORMATION LTD
TITLE: Changing stoichiometry of lithium niobate substrate used in optical device, e.g. waveguide, by placing monolithic solid containing lithium and niobium proximate to substrate, and heating solid and substrate to specified temperature

INVENTOR: GADKAREE, K P; SONI, K K

PRIORITY-DATA: 2002US-0118983 (April 8, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
TW 200401749 A	February 1, 2004		000	C01D015/00
US 20030190132 A1	October 9, 2003		009	G02B006/10
WO 2003087442 A1	October 23, 2003	E	000	C30B033/00
AU 2003225905 A1	October 27, 2003		000	C30B033/00
US 6803028 B2	October 12, 2004		000	G30B033/00

INT-CL (IPC): C01D 1/00; C01D 15/00; C03B 37/22; C03C 27/00; C30B 33/00; G02B 6/10; G02B 6/12; G30B 33/00

☐ 4. Document ID: DE 60200607 T2, EP 1251189 A1, US 20020189542 A1, US 6513451 B2, JP 2003007462 A, KR 2002082127 A, CN 1386892 A, EP 1251189 B1, DE 60200607 E

L9: Entry 4 of 4 File: DWPI Jun 9, 2005

DERWENT-ACC-NO: 2002-715162
DERWENT-WEEK: 200538
COPYRIGHT 2006 DERWENT INFORMATION LTD
TITLE: Apparatus for controlling thickness of evaporated or sublimed organic layer during organic LED device production includes housing, moving and positioning mechanisms and optical sensors

INVENTOR: FREEMAN, D R; MARCUS, M A ; SPAHN, R G ; SPOONHOWER, J P ; VAN SLYKE, S A

PRIORITY-DATA: 2001US-0839885 (April 20, 2001)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
DE 60200607 T2	June 9, 2005		000	C23C014/54
EP 1251189 A1	October 23, 2002	E	032	C23C014/54
US 20020189542 A1	December 19, 2002		000	C23C016/00
US 6513451 B2	February 4, 2003		000	C23C016/448

JP 2003007462 A	January 10, 2003		018	H05B033/10
KR 2002082127 A	October 30, 2002		000	H05B033/10
CN 1386892 A	December 25, 2002		000	C23C014/12
EP 1251189 B1	June 9, 2004	E	000	C23C014/54
DE 60200607 E	July 15, 2004		000	C23C014/54

INT-CL (IPC): B05C 11/00; C23C 14/12; C23C 14/22; C23C 14/54; C23C 16/00; C23C 16/448; H01L 51/20; H05B 33/10; H05B 33/14; H05B 33/20

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Term	Documents
TEMPERATURE	1347075
TEMP	716964
TEMPS	78988
TEMPERATURES	104372
ADJUST$	0
ADJUST	441768
ADJUSTA	24
ADJUSTAABLE	3
ADJUSTAB	7
ADJUSTABAL	2
(L8 AND TEMPERATURE AND ADJUST$).EPAB,JPAB,DWPI,TDBD.	4

There are more results than shown above. Click here to view the entire set.

Display Format: - Change Format

Previous Page Next Page Go to Doc#

Hit List

First Hit | Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: DE 60110896 T2, WO 200153260 A1, AU 200137309 A, EP 1259484 A1, US 20030109700 A1, JP 2003520270 W, US 6878707 B2, EP 1259484 B1, DE 60110896 E, ES 2240420 T3

L14: Entry 1 of 2 File: DWPI Jan 12, 2006

DERWENT-ACC-NO: 2001-496798
DERWENT-WEEK: 200611
COPYRIGHT 2006 DERWENT INFORMATION LTD
TITLE: New carboxamide compounds useful as inhibitors of microsomal triglyceride transfer protein and apolipoprotein B secretion for treating e.g. atherosclerosis or hypercholesterolemia

INVENTOR: KSANDER, M; KSANDER, G M

PRIORITY-DATA: 2000US-0483971 (January 18, 2000), 2002US-0181006 (July 11, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
DE 60110896 T2	January 12, 2006		000	C07D211/00
WO 200153260 A1	July 26, 2001	E	058	C07D211/44
AU 200137309 A	July 31, 2001		000	C07D211/44
EP 1259484 A1	November 27, 2002	E	000	C07D211/44
US 20030109700 A1	June 12, 2003		000	C07D279/12
JP 2003520270 W	July 2, 2003		067	C07D211/46
US 6878707 B2	April 12, 2005		000	C07D211/44
EP 1259484 B1	May 18, 2005	E	000	C07D211/44
DE 60110896 E	June 23, 2005		000	C07D211/44
ES 2240420 T3	October 16, 2005		000	C07D211/44

INT-CL (IPC): A61K 31/4355; A61K 31/44; A61K 31/445; A61K 31/495; A61K 31/496; A61K 31/50 ; A61K 31/535; A61K 31/5375; A61P 3/06; A61P 9/10; A61P 31/44; C07D 207/04; C07D 211/00; C07D 211/06; C07D 211/44; C07D 211/46; C07D 211/62; C07D 213/00 ; C07D 213/36; C07D 213/74; C07D 213/81; C07D 213/82; C07D 241/04; C07D 265/30; C07D 279/12; C07D 295/00; C07D 295/02; C07D 295/12; C07D 295/18 ; C07D 295/20; C07D 295/22; C07D 491/00; C07D 491/10; C07D 491/113

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw De

☐ 2. Document ID: WO 200137309 A1, AU 200114412 A, JP 2001215721 A, EP 1232517 A1, CN 1390360 A, TW 502558 A, US 6566667 B1, RU 2253194 C2, TW 200403905 A, CN 1674205 A, CN 1204591 C

L14: Entry 2 of 2 File: DWPI May 25, 2001

DERWENT-ACC-NO: 2002-139129
DERWENT-WEEK: 200666

TITLE: High-energy photon source for developing lithographic technologies which can print ever smaller IC dimensions has magnetic compression circuit, which includes pulse transformer creating electrical discharge between electrodes

INVENTOR: FOMENKOV, I V; OLIVER, I R ; PARTLO, W N ; BIRX, D L ; NESS, R M ; BIRX, D ; BIRKS, D L ; MELNYCHUK, S T ; NESS, R M &

PRIORITY-DATA: 2000US-0690084 (October 16, 2000), 1999US-0442582 (November 18, 1999), 2000US-0590962 (June 9, 2000), 1997US-0854507 (May 12, 1997), 1998US-0093416 (June 8, 1998), 1999US-0268243 (March 15, 1999), 1999US-0324526 (June 2, 1999), 2001US-0875719 (June 6, 2001), 2001US-0875721 (June 6, 2001), 2002US-0120655 (April 10, 2002), 2002US-0189824 (July 3, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
WO 200137309 A1	May 25, 2001	E	061	H01J035/20
AU 200114412 A	May 30, 2001		000	
JP 2001215721 A	August 10, 2001		024	G03F007/20
EP 1232517 A1	August 21, 2002	E	000	H01J035/20
CN 1390360 A	January 8, 2003		000	H01J035/20
TW 502558 A	September 11, 2002		000	H05G002/00
US 6566667 B1	May 20, 2003		000	H05H001/34
RU 2253194 C2	May 27, 2005		000	H05G002/00
TW 200403905 A	March 1, 2004		000	H01S003/02
CN 1674205 A	September 28, 2005		000	H01J035/20
CN 1204591 C	June 1, 2005		000	H01J035/20

INT-CL (IPC): G03F 7/20; G21K 5/00; G21K 5/02; H01J 35/20; H01L 21/027; H01S 3/00; H01S 3/02; H01S 3/22; H05G 2/00; H05H 1/00; H05H 1/06; H05H 1/34

Term	Documents
"200137309"	2
200137309S	0
"200137309".PN..EPAB,JPAB,DWPI,TDBD.	2
(200137309.PN.).EPAB,JPAB,DWPI,TDBD.	2